

Ewart Memorial Hall Technical Information

Quantity	Brand	Model Number	Description
FOH Mixer			
1	Soundcraft	vi6	96 channels digital mixer
2 FOH Line Arrays - Each consisting of 9 Karai Elements and 2 Subwoofers			
16	L-Acoustics	KARAI	2-way modular WST® enclosure installation version
2		SB18i	High power compact subwoofer: 1 x 18" installation version
4		SB28	High power subwoofer: 2 x 18"
Front and Side Fills			
8	L-Acoustics	X8	2-way passive coaxial enclosure: 8" LF + 1.5" HF diaphragm
Stage Monitors and In-Ear Personal Monitoring System			
8	JBL	SRX812P/230	2000-watt powered 2-way
2	SHURE	P3TE=-T11	PSM300 wireless transmitter
4		P3RA=-T11	PSM300 professional bodypack receiver
4		SE215-CL-E	Earphone, clear
Delay			
4	L-Acoustics	5XT	
Wireless Microphones			
6	SHURE	MX150B/C-TQG	5mm LAV MIC, black, cardioid, TQG
4		WBH53T	Microphone head-worn beige TA4F connector
3		ULXD8-H51	ULXD gooseneck base

3	SHURE	MX415LP/C	Microphone, gooseneck no preamp	
2		ULXD2/SM58--H51	ULXD2 wireless handheld W/SM58 head	
6		ULXD1--H51	ULXD1 bodypack transmitter	
2		UR3		
Wired Microphones				
3	SHURE	KSM8/N	Dual dyne dynamic HH wired microphone, nickel	
4		KSM44A/SL	Microphone, condenser, multiple pattern	
2		SM58-LCE	Microphone	
2		BETA 181/C	Side address CNDNSR microphone, cardioid	
1		BETA 52A	Microphone	
1		BETA 98AMP/C-3PK	Pack Beta 98AMP/C 3	
1		BETA 98AMP/C	Microphone, mini, cardioid, int. pre-amp	
1		BETA 91A	Instrument boundary microphone, half cardioid	
4		BETA 57A	Microphone	
7		SM81-LC		
2		SM57-LCE		
2		SM94-LC		
20		K and M	21021-300-55	Low-priced all-metal-stand. It consists of tubing assembly
1				Extra low design for bass drums or special use
4	Especially designed for studios and drum			
4	BSS	AR-133	Active direct injection (DI) box (1 - 5 pieces)	
1	ZOOM	F4	4-channel multitrack recorder includes 2 SD cards	
1	DENON	DN500R	Digital recorder	
Inputs and Streaming PTZ Camera				
5	SONY	SRG-300SEW	HD color video camera, white	

1	SONY	MCS-8M	Compact audio video mixing switcher
1		RM-IP10	Sony IP remote controller
1	PIONEER O Equal	BDP-Player	Blu-ray player with USB
1	BLACKMAGIC	HyperDeck Studio Pro	Professional broadcast deck for recording and playback of all formats up to 2160p30 onto solid state disks c/w 480GB Solid state drive and 32-inch HD LED screen
1	CRESTRON	CP3	3-series control system
8		IRP2	IR emitter probe w/terminal block connector
1		CGDMX-512BI	Interface DMX-512, Bi-directional
1		CENI-GWEXER- PWE	InfiNET EX® and ER wireless gateway w/PoE injector – international version
1		TST-902	8.7" wireless touchscreen
LED Video Wall			
1			9mX5m LED movable video wall that can function as a backdrop when in the back position or a presentation/video screen when in the front position
Digital Signage Kiosks			
2			48" slim direct-lit LED display for business with Media player and MagicINFO digital signage license. Multimedia info kiosk, indoor version for 48" screens
Wireless Intercom System			
1	ALTAIR	WBS-202	Dual channels wireless intercom base station + 2 antennas OR- 235-1,9 Code: 5117
1		AM-100/2	Single muff headset - Code: 5005
8		WBP-202	Dual channels wireless belt pack compact, mini xl-4 - Code: 5118
8		WAM-100/2	Single muff headset - Code: 5103

1	BEYERDYNAMIC	458783	SIS 121 - central control unit with DAN network connection for CAT.5 cable, 5.5" touchscreen panel (color) for system configuration. 19" housing, 3 U. Equipped with 1 output module for 4 channels output, expandable
2		475424	SIS1202-Interpreter double console with LC-display, DAN network connection (daisy chain), direct-output-dial and to net control with ear patron protective circuit® for headset
2		475815	DT394. SIS-headset, 40Ω, condenser microphone (cardioid), cable with 3-pin XLR male and 1/4" stereo jack
134		724750	Iris RP-8MK II-Digital IR pocket receiver, 8 channels, separate volume/channel selectors, LC display, battery level/signal strength indicators, mounting clip, including Li-Ion battery
134		484679	DT 2 x 32 Ω-headphones, 2x32 Ω, with cable 0.8 m (2.6 ft.), stereo mini-jack for tour guide systems
Assisted Listening System			
40	BEYERDYNAMIC	724750	Iris RP-8MK II-Digital IR pocket receiver, 8 channels, separate volume/channel selectors, LC display, battery level/signal strength indicators, mounting clip, incl. Li-Ion battery
40		725161	IL 200-personal induction loop with 0.2m cable length, 3.5 mm stereo jack and extension cord 0.77 m in conjunction with Beyer dynamic devices conform with the EN 60118-4 for inductive hearing aid loop

Lighting System

Quantity	Brand	Model Number	Description
Front and Side LED Profiles			
16	ETC	7413A1200-1	ColorSource spot XLR CE engine only - white includes soft focus diffuser in holder
16		7060A2032-K1	Source four zoom 25-50° lens tube, white
12		7413A1200-1	ColorSource spot XLR CE engine only, white, includes soft focus diffuser in holder
24		7412A1205	ColorSource PAR XLR CE, black
24		7410K1013	D40 and CSPar75° wide round diffuser in frame, black
24		7410K1014	D40 and CSPar 20°x40° narrow oval diffuser in frame, black
24		7410K1015	D40 and CSPar30°x70° medium oval diffuser in frame, black
8		7413A1240	ColorSource spot deep blue XLRCE engine only, black, includes soft focus diffuser in holder
8		7460A2011	Source 4 LED Cyc adapter, black asymmetric adapter for S4LED engines without shutter barrel for use with S4LED and CS spot only
8		PSF1118	Source 4 LED Cyc floor stand base, black

4		7121A1224	ColorSource through power cabinet; SP, 24x10A (2.3kW) (dimmer)
LED Moving Wash			
8	Light Sky	ML12003H	Moving Head LED Color Change Series
LED Moving Beam			
12	Light Sky	TX1810Z	10W, 18 pieces RGBW 4 in 1 LED, DMX/AUTO, 16CH
Follow Spot			
1	DTS	03.TP005.L	PHARUS 1500 *MB *magnetic ballast 230 V with lamp: HTI 1500W/D7/600 includes *External electromagnetic ballast 230V 50/60Hz *Colour changer with customizable slots for 5 gels *Professional tripod *Gobo holder with gobo size: 86 mm (ext.), 60 mm
Lighting Console			
1	AVOLITES	Area	Lighting Console